

Directory	J 50
Directory Class	~ 51
Class Attribute	~ 52
Directory Object	~ 53
Object Data	~54

Directory Shell	760
Directory Reference	~ 61
Category	~ 62
Category Attribute	~63

Fig. 2




Fig. 3




Fig. 4




Fig. 5

Address @ http://137.65.150.106:8080/oG	uide/serviet/eGuide?User.context=outp'Or	kng/BI&Action	-com.novell.eguide.admin.Admin	Form		- 696
eGuide* Administration Utility						No
Welcome: UserID (Hoader is HTML Only - Li	inks may not work)	se(Tab Me	enu)		_ I'	32
Configuration Directories	l l	& Directories : Immense(Tab Menu)  (LDAP Settings - Attributes Advanced				
Display Layout Photos Properties	Listed below ere your LDAP dire and editability (For USER and Log	ctory object a pn server only	attributes. You may enable visib ). Press the submit button to sa	ity, searche ve your cha	ablity, ngės.	
Search  Customization	Object Type:	USEP	14Z			140
General Color: Security Administration Roles Restriction:	LDAP Attribute Name	Enable	Template Key	carchable	Editable	\ —
	accessCardNumber	C	ACCESSCARDNUMBE	Œ	G	1
	accountBalance	ㅁ.	ACCOUNTEALANCE	Ta	Œ	
E Language	allowUnlimitedCredit	<b>D</b>	ALLOWUNLIMITEDOR	ច	E.	1
Se <u>Labels</u> See See	assistant	Б	ASSISTANT	E	Œ	ľ
Reporting Debug	assistantPhone	Б	ASSISTANTPHONE	<b>E</b>	12	
	audio	E.	AUDIO	Ľ.	r.	\
A STATE OF THE STA	원하네	Б	BUSINESSCATEGORY	13	ចេ	× 14"
	businessCategory	G	CAPUCENSE	E	Œ	1
NOT SUPPLY TO	carLicense	F.	ary		F	1
1-10克克斯·斯特	city	•		G		
	Cn Cv	· F.	USERID	- G	- Fa	1
1/0	%.:{  œ	C	<u></u>		I."	1
	company	돈	COMPANY	_		1
	costCenter	F.	COSTCENTER	귝	_	)
10000000000000000000000000000000000000	costCenterDescription	E	COSTCENTERDESCR	, E	Б	/

Fig. 6




Fig. 7




Fig. 8





Fig. 9

220



Copyright 2001, Novell, Inc., all rights reserved.

Fig. 10




Fig. 11

200

 $\frac{\partial \mathcal{L}_{\mathcal{A}}}{\partial x} = 2 \sqrt{2 \left( \frac{\partial \mathcal{L}_{\mathcal{A}}}{\partial x} + \frac{\partial \mathcal{L}_{\mathcal{A}}}{\partial x} \right)} = \sqrt{2 \left( \frac{\partial \mathcal{L}_{\mathcal{A}}}{\partial x} + \frac{\partial \mathcal{L}_{\mathcal{A}}}{\partial x} \right)}$